USC&GS BM A 141

In Hamilton County, OH, at Harrison, OH, set vertically in the north face of the brick wall of the First National Bank building, 1.4 feet west of the northeast corner and 2 feet above the sidewalk, a standard USC&GS bronze disk, stamped "A 141 1947". 527.246

BM DEA 1

In Dearborn County, Indiana, at the Indiana-Ohio state line, 0.3 mile north along U.S. Highway 52 from the West Harrison, Indiana city limit sign, 200 feet east of the Whitewater River, 170 feet east of a railroad trestle over a small stream, on the north-west wing wall of a 50-foot steel truss bridge over a small stream, 14 feet west of the center line of U.S. 52, a standard Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "DEA 1".

TBM WW 9

In Dearborn County, Indiana, 1.1 miles north along U.S. Highway 52 from the city hall in Harrison, Ohio, 0.5 mile north from a 50-foot steel bridge over a small stream, on a 16-foot concrete bridge over a small stream, on a 16-foot concrete bridge over a small stream 100 feet northwest of the Cleophas Beesley mail box, on the southeast wing wall, one foot east of the handrail, level with the roadway, a chiseled square.

525.336

BM DEA 2

In Dearborn County, Indiana, 1.9 miles northwest along U.S. Highway 52, from the city hall in Harrison, Ohio, 800 feet northeast of the Whitewater River, on a 70-foot steel truss bridge over a small stream, on the north end of the west abutment, on foot of and level with the northwest bridge seat, a standard Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "DEA 2". 523.692

TBM WW 4

In Dearborn, Indiana, 1.9 miles north-west along U.S. Highway 52 from the city hall at Harrison, Ohio, 500 feet southwest of a 70-foot steel truss bridge on U.S. 52, 300 feet northeast of the Whitewater River, on a CC & St. L. Railroad bridge over a small stream at a water tank, on the northwest wing wall, 7 feet north of the north rail, 0.6 foot below the track, a chiseled square.

BM DEA 3

In Dearborn County, Indiana, about 3.0 miles northwest of Harrison, Ohio, about 3.5 miles southeast of New Trenton, Indiana, on the State Road 46 5-span steel truss bridge over the Whitewater River, on the west end of the northwest concrete guard rail, 3 feet above the roadway, a standard Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "DEA 3". 550.232

TBM WW 1

In Dearborn County, Indiana, about 3.0 miles northwest of Harrison, Ohio, about 3.5 miles southeast of New Trenton, Indiana, on the State Road 46 5-span steel truss bridge over the Whitewater River, on the northeast corner of the base of the southeast concrete guardrail, 0.6 foot above the roadway, a chiseled square.

547.239

TBM WW 7

In Dearborn County, Indiana, 2.7 miles west and south along roads along the west side of the Whitewater River from a steel truss bridge over Whitewater River at New Trenton, 1.3 miles north along a gravel road from the State Road 46 bridge over the Whitewater River, about 500 yards west of the Whitewater River, on the south end of the west headwall of the Whitewater River, on the south end of the west headwall of a 10-foot concrete bridge, 8 feet west of the center line of the road, 1 foot above the roadway, a chiseled square.

BM DEA 4

In Dearborn County, Indiana, 2.2 miles west and south along roads along the west side of Whitewater River from the steel truss bridge across the Whitewater River near new Trenton, 1.8 miles north along a gravel road from the State Road 46 bridge across the Whitewater River, about 600 feet west of the river, about 200 feet east of a large white barn, 50 feet north of a driveway west to a farm home on a high hill, on a 10-foot concrete arch culvert, on the east head wall, one foot above the roadway, a standard Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "DEA 4".

TBM WW 6

In Dearborn County, Indiana, 1.3 miles west and south along roads along the west side of the Whitewater River from the 3-span steel truss bridge across the Whitewater River near New Trenton, 2.7 miles north along a gravel road from the State Road 46 bridge over the river, about 200 yards west of the river, on south end of the east headwall of a 10-foot bridge, a chiseled square.

568.484

USC&GS BM C 274

In Franklin County, Indiana, about 0.25 mile north along U.S. Highway 52 from the post office at New Trenton, thence about 0.25 mile west along a county road, set in the top of the north concrete wing wall at the northwest end of the 3-span steel bridge over the Whitewater River, 12.5 feet northeast of and about level with the center line of the road, a standard USC&GS bronze disk, stamped "C 274 1947".

569.179

LAUGHERY CREEK

USC&GS BM F 306

In Dearborn County, in the S ½ Sec. 4, T. 4 N., R. 1 W., about 1.7 miles south-southeast from Aurora; 2.1 miles generally south-southeast along S.R. 56 from the post office in Aurora to a farm road east, thence 0.1 mile east to a U.S. Geological Survey test well; set in the top of a copper coated steel road, 26 feet north from the centerline of the farm road, 14 feet northeast from a lone 30-inch hickory tree, 2 feet west from a metal witness post, 1 foot east from the test well, 0.4 foot above the ground, about level with the farm road; a U.S. Coast and Geodetic Survey bench mark tablet, stamped "F 306 1964".

USC&GS BM G 306

In Dearborn County, in the NW ¼ Sec. 9, T. 4 N., R. 1 W., about 1.9 miles south-southeast along Old S.R. 56 from the post office in Aurora to a 6-foot box culvert under the highway; set in the top at the north end of the west concrete headwall of the culvert, 300 feet west from the centerline of new S.R. 56, 180 feet south from the intersection of the old highway and a cemetery entrance drive, 20 feet west from the centerline of the old highway, 7 feet east from the cemetery fence, about level with the highway; a U.S. Coast and Geodetic Survey bench mark tablet, stamped "G 306 1964".

ISHC BM OHIO S 2

In Ohio County, in the N ½ Sec. 9, T. 4 N., R. 1 W., about 2.0 miles south-southeast from Aurora; 2.5 miles generally south-southeast along New S.R. 56 from the post office in Aurora to a concrete bridge over Laughery Creek; set in the top at the south end of the west concrete sidewalk of the bridge, 18 feet west from the centerline of the highway, 0.8 foot north from the south end of the west sidewalk, 0.9 foot above the highway; an Indiana State Highway Commission bench mark tablet, stamped "OHIO S 2".

IFC&WRC BM OHI 1

In Ohio County, in the W ½ Sec. 9, T. 4 N., R. 1 W., about 2.5 miles south-southeast from Aurora; 2.7 miles generally south-southeast along Old S.R. 56 from the post office in Aurora to a single-span steel truss bridge over Laughery Creek; set in the top at the south end of the west concrete wing wall of the bridge, 12 feet west from the centerline of the highway, 1 foot east from the east end of the wing wall, 0.7 foot above the highway; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 1 1965".

IFC&WRC TBM LC 1

In Ohio County, in the NW ¼ Sec. 9, T. 4 N., R. 1 W., about 2.7 miles southeast from Aurora; 3.0 miles generally south-southeast along Old S.R. 56 from the post office in Aurora to a T-road southwest (Hartford Pike Road); set in the north side of a 25-inch tree, in a lot surrounded by a barn and 2 wooden shacks, 160 feet northeast from the northwest corner of Fisk's General Store, 30 feet southeast from the centerline of Old S.R. 56, 0.6 foot above the ground, about level with the highway; a railroad spike through an aluminum tag, stamped "TBM LC 1 1965".

IFC&WRC BM OHI 2

In Ohio County, in the NE ¼ Sec. 17, T. 4 N., R. 1 W., about 3.0 miles south from Aurora; 3.0 miles generally south-southeast along Old S.R. 56 from the post office in Aurora to a T-road southwest (Hartford Pike Road), thence 0.7 mile southwest to a private road leading to Laughery Creek; set in the top of a concrete post, 16 feet southeast from the centerline of the public road, 13 feet southwest from the extended centerline of the private road, 2.0 feet northwest from a power pole, 0.3 foot above the ground; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 2 1965".

IFC&WRC TBM LC 2

In Ohio County, in the NW ¼ Sec. 17, T. 4 N., R. 1 W., about 3.0 miles south from Aurora; 3.0 miles generally south-southeast along Old S.R. 56 from the post office in Aurora to a T-road southwest (Hartford Pike Road), thence 1.7 miles southwest of the E. Stolhowlett residence; set in the west side of a 21-inch tree, 230 feet northwest from the E. Stolhowlett mailbox, 10 feet northeast from the centerline of the road, 1.0 foot below the roadway; an RR spike driven through an aluminum tag, stamped "TBM LC 2 1965".

IFC&WRC BM OHI 3

In Ohio County, in the NE ¼ Sec. 18, T. 4 N., R. 1 W., about 2.6 miles south from Aurora; 3.0 miles generally south-southeast along Old S.R. 56 from the post office in Aurora to a T-road southwest (Hartford Pike Road), thence 2.0 miles generally southwest to a 20-foot concrete bridge over a small stream; set in the top of the southeast concrete wing wall of the bridge, 11 feet south from the centerline of the road, 0.7 foot north from the south end of the top step of the wing wall, 1 foot west from the east face of the wing wall, about level with the roadway; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 3 1965". 483.785

IFC&WRC BM OHI 4 Page 4 of 13

In Ohio County, in the SE ¼ Sec. 13, T. 4 N., R. 2 W., about 1.2 miles northeast from Hartford, 1.7 miles generally northeast along the Hartford Pike Road from the General Store in Hartford to a small woods on the northwest side of the road; set in the top of a concrete post, 21 feet northwest from the centerline of the road, 3 feet west from power pole No. TB-56 E-78, 0.3 foot above the ground, about level with the roadway; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 4 1965".

IFC&WRC TBM LC 3

In Ohio County, in the SE ¼ Sec. 13, T. 4 N., R. 2 W., about 1.0 mile northeast from Hartford, 1.5 miles generally northeast along Hartford Pike Road from the General Store in Hartford to an open field on the northwest side of the road; set in the northwest side of a 28-inch tree on a fence line, 21 feet southeast from the centerline of the road, 2 feet above the roadway, 0.5 foot above the ground; a railroad spike through an aluminum tag, stamped "TBM LC 3 1965".

IFC&WRC BM OHI 5

In Ohio County, in the N ½ Sec. 24, T. 4 N., R. 2 W., about 0.9 mile northeast from Hartford; 1.1 miles generally northeast along Hartford Pike Road from the General Store in Hartford to a 20-foot concrete bridge over a small stream; set in the top of the south concrete wing wall of the bridge, 11 feet southeast from the centerline of the road, 1 foot east from the west face and 0.5 foot northwest from the southeast end of the top step of the wing wall, 0.3 foot above the roadway; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 5 1965". 482.918

IFC&WRC TBM LC 4

In Ohio County, in the W ½ Sec. 24, T. 4 N., R. 2 W., about 0.6 mile northeast from Hartford; 0.7 mile generally northeast along the Hartford Pike Road from the general store in Hartford to small bridge over an unnamed stream; set in the southwest side of a blazed 15-inch trunk of a twin-trunked tree, 120 feet northeast from the bridge, 16 feet northwest from the centerline of the road, 1 foot above the ground, 0.5 foot below the roadway; a railroad spike through an aluminum tag, stamped "TBM LC 4 1965".

IFC&WRC BM OHI 6

In Ohio County, in the SE ¼ Sec. 23, T. 4 N., R. 2 W., at Hartford; set in the top at the northeast corner of a 6-foot square concrete well housing in the back yard of the Glenn G. Wilber residence, 240 fee west from the junction of Hartford Pike and Hartford Ridge Roads, 25 feet south from the centerline of Hartford Pike Road; 2.0 feet above the ground, 3.0 feet above the roadway; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 6 1965".

IFC&WRC TBM LC 5 Page 5 of 13 479.888

In Ohio County, in the SE ¼ Sec. 22, T. 4 N., R. 2 W., about 0.7 mile west from Hartford; 0.8 mile west along the Hartford Pike Road from the general store in Hartford to a 21-foot concrete bridge over a small stream; set in the top at the west end of the north headwall of the bridge, 10 feet north from the centerline of the road, 0.8 foot east from the west end of the headwall, 3 feet above the ground; a painted chiseled triangle.

IFC&WRC BM OHI 7

In Ohio County, in the S ½ Sec. 22, T. 4 N., R. 2 W., about 1.1 miles west from Hartford; 1.3 miles generally west along the Hartford Pike Road from the general store in Hartford to a 40-foot bridge over a small stream, set in the top at the east end of the north concrete bridge seat, 11 feet north from the centerline of the bridge, 0.3 foot south from the north end of the bridge seat, 2 feet below the bridge floor; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 7 1965".

IFC&WRC TBM LC 6 1965

In Ohio County, in the SE ¼ Sec. 21, T. 4 N., R. 2 W., about 1.8 miles west from Hartford, 2.0 miles generally west along the Hartford Pike Road from the general store in Hartford to a bend in the road southwest; set in the south side of a 28-inch tree, 14 feet north from the centerline of the road, 0.8 foot above the ground, 0.2 foot above the roadway; a railroad spike through an aluminum tag, stamped "TBM LC 6 1965".

IFC&WRC BM OHI 8

In Ohio County, in the S ½ Sec. 21, T. 4 N., R. 2 W., about 2.0 miles west from Hartford; 2.4 miles generally west and south along the Hartford Pike Road from the general store in Hartford to power pole No. TB 56E 7 on the west side of the road; set in the top of a concrete post, 15.4 feet northwest from the centerline of the road, 2.3 feet southeast from the power pole, 0.2 foot above the ground; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 8 1965". 480.957

IFC&WRC TBM LC 7

In Ohio County, in the W ½ Sec. 28, T. 4 N., R. 2 W., about 2.4 miles west from Hartford; 2.9 miles generally west and south from the general store in Hartford to a 2-foot pipe culvert under the roadway; set in the top at the southwest end of the northwest concrete headwall; 120 feet southwest from the M. Sharp and son mailbox, 10 feet northwest from the centerline of the road, 0.8 foot above the roadway; a painted chiseled triangle.

IFC&WRC TBM LC 8

In Ohio County, in the SW ¼ Sec. 28, T. 4 N., R. 2 W., about 0.6 mile east from Milton; 0.9 mile generally south along S.R. 262 from the Calvary Baptist Temple in Milton to a Troad northeast (Harton Pike Road), thence 0.5 mile generally north to a red house on the east bank of Laughery Creek; set in the south side of a 21-inch tree, 120 feet south from the southeast corner of the house, 35 feet west from the centerline of the road, 0.7 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 8 1965".

IFC&WRC BM OHI 9

In Ohio County, in the NE ¼ Sec. 32, T. 4 N., R. 2 W., about 0.6 mile southeast from Milton; 0.9 mile generally south along S.R. 262 from the Calvary Baptist Temple in Milton to a single-span steel truss bridge over South Fork Laughery Creek; set in the top of the southeast concrete wing wall of the bridge, 13 feet north from the south end of the bridge, 10 feet east from the centerline of the bridge, 2.0 feet below the bridge floor; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 9 1965".

USGS TBM UE 490.7

In Ohio County, in the NE ¼ Sec. 32, T. 4 N., R. 2 W., about 0.6 mile southeast from Milton; 0.9 mile generally south along S.R. 262 from the Calvary Baptist Temple in Milton to a single-span steel truss bridge over South Fork Laughery Creek; set in the top of the southwest concrete wing wall of the bridge, 11.8 feet south from the south end of the west side of the bridge truss, 11 feet west from the centerline of the bridge, 2.0 feet below the bridge floor; a chiseled square.

IFC&WRC BM OHI 10

In Ohio County, in the S ½ Sec. 29, T. 4 N., R. 2 W., about 0.2 mile north from Milton; 0.2 mile north along S.R. 262 from the Calvary Baptist Temple in Milton to a steel truss bridge over Laughery Creek; set in the top of the southwest concrete abutment of the bridge, 8 feet northwest from the centerline of the highway, 2 feet north from the south end of the abutment, 2 feet above the highway; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 10 1965".

494.656

IFC&WRC TBM LC 9

In Ohio County, in the SW ¼ Sec. 29, T. 4 N., R. 2 W., about 0.5 mile west from Milton; 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 0.4 mile generally west and south to a small cabin on the east bank of Laughery Creek; set in the north side of a 11-inch walnut tree, 85 feet south from the southeast corner of the cabin, 15 feet west from the centerline of the road, 3.0 feet below the roadway, 1.0 foot above the ground; a railroad spike through an aluminum tag, stamped "TBM LC 9 1965".

Page 7 of 13

IFC&WRC BM OHI 11

In Ohio County, in the N ½ Sec. 31, T. 4 N., R. 2 W., about 1.0 mile west-southwest from Milton, 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 1.1 miles generally west and south to a farmhouse on the north side of the road; set in the top of a concrete post, 130 feet southeast from the southeast corner of the farmhouse, 21 feet east from the centerline of the driveway, 12 feet southeast from transformer power pole No. 12W 21S 51 1; 0.3 foot above the ground; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 11 1965".

IFC&WRC TBM LC 10

In Ohio County, in the NW ¼ Sec. 31, T. 4 N., R. 2 W., about 1.5 miles west-southwest from Milton; 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 1.7 miles generally west to an old farmhouse foundation on the south side of the road; set in the east side of a 12-inch blazed leaning tree, 140 feet west from the northeast corner of the foundation, 22 feet northwest from the centerline of the road, 0.8 foot above the ground; a railroad spike through an aluminum tag, stamped "TBM LC 10 1965".

IFC&WRC TBM LC 11

In Ohio County, in the NE ¼ Sec. 36, T. 5 N., R. 3 W., about 1.8 miles west-southwest from Milton; 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 2.1 miles generally west and south to a small cabin on the east bank of Laughery Creek; set in the northwest side of the southwest trunk of a 16-inch twin-trunked walnut tree, 39.7 feet southwest from the south corner of a lone cabin of the west side of the road, 1.6 feet northwest from the centerline of the road, 1.3 feet above the ground, 0.6 foot below the roadway, a railroad spike through an aluminum tag, stamped "TBM LC 11 1965".

IFC&WRC TBM LC 12

In Ohio County, in the NE ¼ Sec. 1, T. 4 N., R. 3 W., about 2.1 miles southwest from Milton; 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 2.8 miles generally west and south to where Laughery Creek bends to the west; set in the west side of a 20-inch walnut tree, 500 feet southeast along the road from the south side of a lone cabin, 14 feet east from the centerline of the road, 2.0 feet above the roadway, 0.7 foot above the ground; a railroad spike through an aluminum tag, stamped "TBM LC 12 1965".

IFC&WRC BM OHI 12

In Ohio County, in the NW ¼ Sec. 1, T. 4 N., R. 3 W., about 2.7 miles southwest from Milton; 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 3.6 miles generally west and south to the C.A. Land residence; set in the top of a concrete post, 110 feet west from the residence mailbox; 16 feet north from the centerline of the road, 1.0 foot west from a steel rod witness post, 0.2 foot above the ground; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 12 1965".

IFC&WRC TBM LC 13

In Ohio County, in the SW ¼ Sec. 1, T. 4 N., R. 3 W., about 3.2 miles southwest from Milton; 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 4.2 miles generally west and south to a clearing on the south side of the road; set in the northeast side of a 50-inch tree, 10 feet north from the centerline of the road, 1 foot above the roadway, 0.7 foot above the ground; a railroad spike through an aluminum tag, stamped "TBM LC 13 1965".

USGS RM 3

In Ohio County, in the SW ¼ Sec. 2, T. 4 N., R. 3 W., about 3.5 miles southwest from Milton; 0.2 mile southwest along bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 4.8 miles generally west and south to a private road north, thence 0.2 mile north to a U.S. Geological Survey Stream Gaging Station of the east bank of Laughery Creek; set in the top of a concrete post, 32 feet north and 7 feet west from the center of the pipe well; a U.S. Geological Survey gaging station tablet.

USGS RM 6

In Ohio County, in the SW ¼ Sec. 2, T. 4 N., R. 3 W., about 3.5 miles southwest from Milton; 0.2 mile southwest along Bear Branch Road from its junction with S.R. 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 4.8 miles generally west and south to a private road north, thence 0.2 mile north to a U.S. Geological Survey Stream Gaging Station on the east bank of Laughery Creek, set on the southeast corner of the staff section (10.14-13.54) foundation; a chiseled square.

IFC&WRC TBM LC 14

In Dearborn County, in the E ½ Sec. 3, T. 4 N., R. 3 W., about 1.8 miles southeast from the Farmers Retreat; 2.2 miles generally south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to a Y-road south, thence 0.6 mile generally south to the junction with a northeast-southwest T-road, thence 0.9 mile generally northeast to a white cabin on the north bank of Laughery Creek; set in the east side of a 14-inch tree, 110 feet east from the cabin, 15 feet south from the centerline of the road, 0.8 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 14 1965".

Page 9 of 13

IFC&WRC BM DEA 5

In Dearborn County, in the N ¼ Sec. 10, T. 4 N., R. 3 W., about 2.3 miles southeast from Farmers Retreat; 2.2 miles generally south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to a Y-road south, thence 0.6 mile generally south to the junction with a northeast-southwest T-road, thence 150 feet southwest to a single-span steel truss bridge over a tributary to Laughery Creek; set in the top of the south concrete bridge seat, 9 feet southeast from the centerline of the road, 0.2 foot northwest from the southeast face of the bridge seat, 0.6 foot below the roadway; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "DEA 5 1965".

USGS TBM UE 577.6

In Dearborn County, in the E ½ Sec. 9, T. 4 N., R. 3 W., about 2.6 miles south of Farmers Retreat; 3.1 miles generally south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to a single-span steel truss bridge over Laughery Creek (Lost Bridge); set in the top at the north corner of the bridge floor, 8 feet northwest from the centerline of the bridge, 0.7 foot southwest from the northeast end of the bridge floor, a painted square.

IFC&WRC BM OHI 13

In Ohio County, in the SE ¼ Sec. 9, T. 4 N., R. 3 W., about 2.6 miles south from Farmers Retreat; 3.1 miles generally south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to a single-span steel truss bridge over Laughery Creek; set in the top of the west concrete wing wall, 12 feet northwest from the centerline of the bridge, level with the bridge floor; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 13 1965".

USGS BM 31 EOM

In Dearborn County, in the NE ¼ Sec. 9, T. 4 N., R. 3 W., FWP, about 2.2 miles south from Farmers Retreat, 2.6 miles generally south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to a T-road west; set in the top of a concrete post, 81 feet south from the centerline of road west, 12 feet west from the centerline of the north-south road, 2.0 feet east from power pole No. ED 172W 28N 2, 0.3 foot above the ground; an U.S. Geological Survey bench mark tablet, stamped "31 EOM 1957 598".

IFC&WRC TBM LC 15

In Dearborn County, in the N ½ Sec. 9, T. 4 N., R. 3 W., about 2.2 miles south from Farmers Retreat; 2.6 miles generally south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to a T-road west, thence 0.4 mile west to a high voltage power line crossing; set in the north side of power pole No. ED 17 2W 33, 38 feet south from the high voltage power line structure, 13 feet south from the centerline of the road, 0.7 foot above the ground; a railroad spike through an aluminum tag, stamped "TBM LC 15 1965".

IFC&WRC BM DEA 6

In Dearborn County, in the NE Sec. 8, T. 4 N., R. 3 W., about 2.3 miles southwest from Farmers Retreat; 2.6 miles generally south along a paved road from its junction with S.R. 62 at the St. Johns Lutheran Church in Farmers Retreat to a T-road west, thence 1.0 mile west to a small cabin at a ford across Laughery Creek; set in the top of a concrete post near the top of the high east bank in the southwest corner of an open field, 75 feet northeast from the northeast corner of the cabin, 70 feet north from the centerline at the bend of the road, 4.0 feet east from the top of the east bank, 0.7 foot northwest from a yellow painted steel witness rod, 0.3 foot above the ground; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "DEA 6 1965".

IFC&WRC BM DEA 7

In Dearborn County, in the NE ¼ Sec. 5, T. 4 N., R. 3 W., about 1.6 miles southwest from Farmers Retreat; 0.4 mile south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to an east-west crossroad, thence 1.6 miles generally west and south to a ford across Laughery Creek and a 27-foot concrete bridge over a small stream; set in the top of the southeast concrete wing wall of the bridge, 11 feet south from the centerline of the road, 0.6 foot eats from the west face of the wing wall, 1.0 foot above the roadway; an Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "DEA 7 1965".

595.820

IFC&WRC TBM LC 16

In Dearborn County, in the NW ¼ Sec. 5, T. 4 N., R. 3 W., about 2.2 miles southwest from Farmers Retreat, 0.4 mile south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to an east-west crossroad, thence 2.3 miles generally west and south to a ford across Laughery Creek; set in the west side of an 18-inch tree, 130 feet east from the ford, 75 feet south from a white cabin, 16 feet east from the centerline of the driveway to the cabin, 16 feet east from the centerline of the driveway to the cabin, 11 feet north from the centerline of the road, 1 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 16 1965".

IFC&WRC TBM LC 17

In Dearborn County, in the SW ¼ Sec. 32, T. 5 N., R. 3 W., about 1.2 miles southeast from Friendship; 0.7 mile southeast along S.R. 62 from the American Baptist Church in Friendship to a bend in the highway northeast and a Y-road southeast, thence 0.6 mile southeast; set in the east side of a 36-inch blazed and painted sycamore tree, 66 feet west from the westernmost of two trees in the center of the road, 80 feet south from the south edge of an open field and a fence line, 16 feet north from the centerline of the road, 1 foot above the ground; a railroad spike through an aluminum tag, stamped "TBM LC 17 1965".

IFC&WRC TBM LC 18

In Ripley County, in the N ½ Sec. 13, T. 6 N., R. 12 E., about 0.5 mile southeast from Friendship; 0.5 mile southeast along S.R. 62 from the American Baptist Church in Friendship to a single-span steel truss bridge over Caesar Creek; set in the top of the west stone wing wall of the bridge, (four steps down from top), 10.1 feet west from the west corner of the bridge truss, 17 feet northwest from the centerline of the highway, 3 feet below the highway; a painted chiseled triangle.

IFC&WRC BM RIP 1

In Ripley County, in the W ½ Sec. 13, T. 6 N., R. 12 E., about 0.3 mile southeast from Friendship; 0.3 mile southeast along S.R. 62 from the American Baptist Church in Friendship to a T-road southwest and a single-span wooden deck bridge over Laughery Creek; set in the top of the north concrete bridge seat, 30 feet southwest from the centerline of S.R. 62, 8 feet northwest from the centerline of the bridge, 1.0 foot below the bridge floor; an Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "RIP 1 1965".

INDOT BM 15 S 56

In Dearborn County, Harrison, Ohio-IND Quadrangle, in the SE ¼ of section 24, T. 7 N., R. 1 W., 1st P. M. About 0.7 miles southwest of Harrison, OH. Set on top of the northwest concrete wingwall of the Sunman Harrison road bridge over the Whitewater River. 18.6 feet west of the centerline of the road, 8.0 feet south of the north face of concrete wingwall, 0.6 foot east of the west face of wingwall, about level with the road. A standard IDOH BM tablet stamped "15 S 56" 3rd Order 519.549 Feet NGVD 1929 Elevation Not Verified After Being Entered In This Document.